

## STANDARD OPERATING PROCEDURE #415 HUMANE INTERVENTION POINTS FOR RODENT CANCER MODELS

## 1. PURPOSE

The intent of this Standard Operating Procedure (SOP) is to provide guidelines for the McGill University scientific community performing cancer research involving rodents.

## 2. RESPONSIBILITY

Facility Animal Care Committees (FACC's), principal investigator (PI) and their research staff, veterinary care staff.

## 3. INTRODUCTION

3.1. For the purposes of this policy cancer studies have been divided into two (2) broad categories:

- 5.1.3. Detailed monitoring logs should be kept for tumor-bearing mice from the point a tumor is palpated until euthanasia. When possible, logs should be kept in the animal housing room. Logs should contain the following information:
  - 5.1.3.1. Amal id Den@7/h (std):eIntls(i)3.fmati23.1 (c)-4.1 (nt)-1.1 (i)-8. [(1.)]TJ 0 Tc 0 i

| DESCRIPTION OF LESION                               | SCORE | PICTURE | INTERVENTION POINTS   | MONITORING<br>FREQUENCY |
|---|-------|---------|-----------------------|-------------------------|
| No lesion   | 0     |         |                       |                         |
| Redness at the site of the tumor, skin looks intact | 1     |         | No treatment required | Twice weekly            |

Superficial skin abrasions (scratches) at the site of the mass

2